

Listing of the Claims:

These claims will replace all prior versions, and listings, of claims in the application:

1.(Previously Presented) A method to facilitate a programming of a control device that comprises a graphics user interface, the method comprising:

enabling a determination of at least one appliance for being user-controlled through the control device;

determining code for graphically representing a controllable feature of the appliance on the graphic user interface of the control device; and

communicating the code to the control device for storage at the control device for enabling user-control of the appliance in response to a subsequent user activation of the control device,

wherein determining the code includes accessing an Internet site in dependence upon the determination of the at least one appliance.

2. (Canceled)

3. (Original) The method of claim 1, wherein determining the code includes extracting a device control profile from a plurality of device control profiles.

4. (Previously Presented) The method of claim 1, wherein determining the code includes extracting a device control profile in dependence upon at least one of: a location parameter, a time parameter, and a user profile.

5. (Original) The method of claim 1, further including:

communicating appliance control commands to the control device to facilitate the user-control of the appliance.

6. (Original) The method of claim 1, further including enabling an editing of the code.

7. (Original) The method of claim 1, wherein the determination of at least one appliance includes

providing a sequence of selection options that lead to the determination of the at least one appliance.

Claims 8 - 10 (Canceled)

11. (previously presented) A control device for remotely controlling one or more electronic devices, the control device comprising:

a programmable user interface, and

a receiver that receives user interface code from an Internet site storing interface codes for a plurality of electronic devices, wherein the user interface code is received in dependence upon at least one of: a location parameter, a time parameter, and a user profile,

wherein a programming of the programmable user interface is facilitated by the user interface code; and

wherein the user interface code is for graphically representing a controllable feature of the one or more electronic devices on the user interface.

12. (Original) The control device of claim 11, further including an Internet access device.

Claims 13 - 17 (Canceled)

18. (Previously Presented) The method of Claim 1, wherein the at least one appliance comprises at least one of: a television, a CD player, a DVD player, a computer, a set-top box, a telephone, and a microwave.

19. (Previously Presented) The control device of Claim 11, wherein the one or more electronic devices comprise one or more of: a television, a CD player, a DVD player, a computer, a set-top box, a telephone, and a microwave.

20. (Previously Presented) The control device of Claim 11, wherein the programmable user interface is programmed to display a plurality of icons used to control at least one of the one or more electronic devices.

21. (Previously Presented) A method, comprising:

storing in a server codes for graphically representing on a graphic user interface of a remote control device one or more controllable features of a plurality of devices;

receiving at the server an identification of at least one device of the plurality of devices;

and

providing from the server code for graphically representing a controllable feature of the at least one device of the plurality of devices on a graphic user interface of a remote control device.

22. (Previously Presented) The method of Claim 21, wherein receiving the identification of the at least one device comprises:

providing from the server a list of devices to a user; and

receiving at the server a selection of at least one device in the list from the user.

23. (Previously Presented) The method of Claim 22, further comprising:

providing from the server an identification of multiple graphic user interfaces corresponding to one selected device; and

receiving at the server a selection of one of the graphic user interfaces from the user, wherein providing the code comprises providing the code corresponding to the selected graphic user interface.

24. (Previously Presented) The method of Claim 21, wherein providing the code comprises providing the code to an Internet access device capable of providing the code to the remote control device.

25. (Previously Presented) The method of Claim 21, wherein the at least one device comprises at least one of: a television, a CD player, a DVD player, a computer, a set-top box, a telephone, and a microwave.

26. (Previously Presented) A method, comprising:

providing to a server an identification of at least one device, the device being one of a plurality of devices having codes stored in the server for graphically representing on a graphic user interface of a remote control device one or more controllable features of the device; and
receiving code for graphically representing a controllable feature of the at least one device on a graphic user interface of a remote control device.

27. (Previously Presented) The method of Claim 26, wherein providing the identification of the at least one device comprises:

receiving a list of devices from an Internet site; and
providing a selection of at least one device in the list.

28. (Previously Presented) The method of Claim 27, further comprising:

receiving an identification of multiple graphic user interfaces corresponding to one selected device; and
providing a selection of one of the graphic user interfaces, wherein receiving the code comprises receiving the code corresponding to the selected graphic user interface.

29. (Previously Presented) The method of Claim 21, further comprising communicating the code to the remote control device.